ISSN: 2347-6567

International Journal of Allied Medical Sciences and Clinical Research (IJAMSCR)

IJAMSCR |Vol.14 | Issue 3| Jul - Sep 2026

www.ijamscr.com

DOI : https://doi.org/10.61096/ijamscr.v14.iss3.2026.1414- -1425

Beyond Fragrance: Exploring The Therapeutic Potential of Aromatherapy in Sleep Disorders

B.Rakesh*, Dr.L.V.Vigneshwaran, Dinesh.S, Madhu.P

Department of Pharmaceutics, RKP College of Pharmacy, Krishnagiri, Tamilnadu

Corresponding author: **B.Rakesh***

Email;dineshthiru465@gmail.com

Published on: 07.08.2026
Published by: Futuristic Publications
2026| All rights reserved.

Creative Commons Attribution 4.0 International License.

Abstract: Sleep disorders are among the most common health problems worldwide and significantly affect physical health, cognitive function, emotional well-being, and quality of life. Although pharmacological therapies are effective, their long-term use is often associated with adverse effects such as dependence and cognitive impairment. Aromatherapy has emerged as a promising complementary therapy that utilizes essential oils to promote relaxation, reduce anxiety, and improve sleep quality. This review summarizes the prevalence and classification of sleep disorders, the principles and history of aromatherapy, mechanisms of action of essential oils, commonly used oils for sleep enhancement, pharmacological properties, and clinical applications. Current evidence suggests that essential oils such as lavender, chamomile, bergamot, sandalwood, and vetiver may improve sleep through modulation of the olfactory-limbic pathway, neurotransmitter activity, and autonomic nervous system regulation. Although existing studies demonstrate encouraging results, further high-quality clinical trials are required to establish standardized treatment protocols and confirm long-term efficacy and safety.

Key Words: Aromatherapy, Sleep disorders, Essential oils, Olfactory stimulation.

INTRODUCTION:

Sleep is an essential biological process that plays a vital role in maintaining physical health, mental well-being, cognitive performance, and overall quality of life. Adequate sleep supports memory consolidation, emotional regulation, immune function, and metabolic balance. However, modern lifestyles, psychological stress, chronic illnesses, and environmental factors have contributed to a significant increase in sleep-related disorders worldwide [1]. Sleep disorders comprise a group of conditions that affect the quality, duration, or timing of sleep, resulting in impaired daytime functioning and reduced quality of life. Among these, insomnia is the most prevalent disorder and is characterized by difficulty in initiating sleep, maintaining sleep, or experiencing restorative sleep despite adequate opportunity. Other common sleep disorders include obstructive sleep apnea, restless legs syndrome, circadian rhythm sleep disorders, and parasomnias. Persistent sleep disturbances are associated with an increased risk of cardiovascular disease, diabetes mellitus, obesity, anxiety, depression, and impaired cognitive function [2].

Although pharmacological treatments are widely used to manage sleep disorders, prolonged use of hypnotic medications may lead to adverse effects including cognitive impairment, dependence, and reduced sleep quality over time. Consequently, there is growing interest in complementary and alternative therapies that offer safer and more holistic approaches for improving sleep [3]. Aromatherapy, which utilizes essential oils

extracted from aromatic plants, has gained considerable attention as a complementary therapy for enhancing sleep quality. It is believed to promote relaxation, reduce anxiety, and improve physiological functions associated with restful sleep. Despite several systematic reviews and meta-analyses reporting beneficial effects, the findings remain inconsistent, highlighting the need for a comprehensive evaluation of the available evidence [4].

Prevalence and Global Burden of Sleep Disorders:

Sleep disorders have become a major global public health concern due to their increasing prevalence and significant impact on physical, psychological, and socioeconomic well-being. Recent estimates indicate that approximately 16.2% of the global adult population (about 852 million adults) experience clinically significant insomnia, while 7.9% (approximately 415 million adults) suffer from severe insomnia. Women are consistently reported to have a higher prevalence of insomnia than men across all age groups [5].

Epidemiological studies further suggest that nearly 10% of adults have chronic insomnia disorder, whereas an additional 20% experience occasional insomnia symptoms. The prevalence is higher among older adults, females, individuals with chronic medical conditions, shift workers, and people experiencing psychological stress [6].

The global burden of sleep disorders extends beyond disturbed sleep. Chronic sleep disturbances are associated with an increased risk of cardiovascular diseases, hypertension, type 2 diabetes mellitus, obesity, depression, anxiety, cognitive impairment, reduced work productivity, increased healthcare utilization, and poor quality of life. These health and economic consequences emphasize the urgent need for effective, safe, and accessible interventions to improve sleep health worldwide [7].

WHY AROMATHERAPY IS GAINING ATTENTION?

Aromatherapy has gained increasing attention as a complementary and integrative therapy for managing sleep disorders because it is a natural, non-invasive, and relatively safe intervention. The growing prevalence of insomnia, concerns about the adverse effects and dependence associated with long-term use of hypnotic medications, and increasing patient preference for holistic therapies have encouraged researchers to explore essential oils as alternative treatment options. Recent clinical studies suggest that essential oils such as lavender, chamomile, bergamot, and sandalwood may improve sleep quality, reduce anxiety, and promote relaxation through modulation of the autonomic nervous system and neurotransmitter pathways, particularly the GABAergic system. Although evidence varies in quality, the increasing number of randomized controlled trials and systematic reviews has made aromatherapy an important area of research in sleep medicine [8].

SLEEP DISORDERS:

Sleep disorders comprise a range of conditions that disrupt normal sleep patterns and quality. They are among the most common health problems encountered in clinical practice. Poor or non-restorative sleep can negatively affect physical health, cognitive performance, emotional well-being, and social functioning [9]. Persistent sleep disturbances may also reduce overall quality of life and increase the risk of health and safety issues. Research has demonstrated that individuals with insomnia experience a significant decline in their quality of life compared with those who sleep normally.

CLASSIFICATION OF SLEEP DISORDER:



Fig 1: Classification of sleep disorder

1. Insomnia

The exact cause of insomnia remains unclear. However, it is believed to result from a combination of environmental, genetic, psychological, and behavioural factors that contribute to a state of hyperarousal, making it difficult to initiate or maintain sleep [10].

2. Sleep-Disordered Breathing (SDB)

Sleep-disordered breathing is caused by abnormalities in respiratory control, upper airway function, and chest wall mechanics, leading to impaired ventilation during sleep. It includes a spectrum of conditions ranging from upper airway resistance syndrome to obstructive sleep apnea (OSA) and central sleep apnea (CSA). Obesity is one of the major risk factors, particularly in obstructive forms of SDB [11].

3. Central Disorders of Hypersomnolence

Central disorders of hypersomnolence result from dysfunction of the central nervous system mechanisms that regulate the sleep–wake cycle. The major subtypes include narcolepsy type 1, narcolepsy type 2, and idiopathic hypersomnia. Other causes include Kleine–Levin syndrome, medical illnesses, medication or substance use, psychiatric disorders, and insufficient sleep syndrome [12].

4. Circadian Rhythm Sleep–Wake Disorders (CRSWDs)

Circadian rhythm sleep–wake disorders occur when the body's internal biological clock is not synchronized with the external environment. These disorders may result from environmental factors such as shift work and jet lag or from alterations in the internal circadian timing system, including delayed sleep–wake phase disorder, advanced sleep–wake phase disorder, irregular sleep–wake rhythm disorder, and non-24-hour sleep–wake rhythm disorder [13].

5. Parasomnias

Parasomnias are abnormal behaviours or experiences that occur during sleep. Their development is influenced by environmental, genetic, and gene–environment interaction factors. They are broadly classified into non-rapid eye movement (NREM) parasomnias, rapid eye movement (REM) parasomnias, and other parasomnias. Common NREM parasomnias include sleepwalking, sleep terrors, confusional arousals, and sleep-related eating disorder, whereas REM parasomnias include REM sleep behaviour disorder and nightmare disorder [14].

6. Sleep-Related Movement Disorders

Sleep-related movement disorders are characterized by abnormal motor activity during sleep due to altered motor control mechanisms. Their causes vary depending on the specific disorder. For example, restless

legs syndrome may result from genetic susceptibility or iron deficiency. Other movement disorders include periodic, rhythmic, simple, and complex movements that may interfere with normal sleep quality [15].

RISK FACTORS CONTRIBUTING TO SLEEP DISORDERS:

Table 1: Risk factors contributing to sleep disorder [16]

CATEGORY	RISK FACTORS
Lifestyle factors	Excessive caffeine intake Alcohol consumption Smoking Drug abuse Shift work Irregular sleep schedule Excessive screen time before bedtime
Environmental factors	Excessive noise Bright light exposure at night Uncomfortable sleeping environment Jet lag
Psychological factors	Stress Anxiety Depression Worry and rumination Caregiving responsibilities Work-related stress
Sleep – related factors	Insomnia Obstructive sleep apnea Restless legs syndrome Narcolepsy Circadian rhythm sleep–wake disorder
Medical factors	Obesity Diabetes mellitus Cardiovascular disease Chronic kidney disease Neurological disorders Chronic pain Respiratory disorders Psychiatric disorders Use of certain medication
Demographic factors	Older age Female sex Family history of sleep disorders

AROMATHERAPY:

Aromatherapy is a complementary and integrative therapeutic approach that uses naturally extracted essential oils from aromatic plants to improve physical, psychological, and emotional well-being. It is commonly used alongside conventional medical treatment to promote relaxation, reduce stress, relieve pain, and improve overall quality of life rather than replace standard medical care. Clinical aromatherapy involves the controlled use of plant-derived essential oils through inhalation, topical application, massage, or other appropriate methods to support symptom management. Research has shown that aromatherapy may help reduce anxiety, depression, insomnia, nausea, vomiting, pain, and stress while enhancing patient comfort and well-being in various healthcare settings. The therapeutic effects of aromatherapy occur when volatile aromatic molecules are inhaled or absorbed through the skin. These molecules stimulate the

olfactory system and the limbic region of the brain, which regulates emotions, memory, and stress responses. This interaction promotes relaxation, emotional balance, and physiological responses such as reduced anxiety, decreased muscle tension, and an improved sense of well-being [17].

HISTORY OF AROMATHERAPY:

Aromatherapy has been practiced for thousands of years and is one of the oldest forms of natural medicine. Ancient civilizations such as the Egyptians, Chinese, Indians, Greeks, and Romans used aromatic plants, herbs, and essential oils for healing, religious rituals, embalming, cosmetics, and relaxation. The Egyptians are believed to have pioneered the extraction and medicinal use of aromatic oils around 2800 BC, while Indian Ayurveda and Traditional Chinese Medicine incorporated aromatic herbs to restore physical and mental balance. The Greek physician Hippocrates, known as the Father of Medicine, advocated the use of aromatic baths and scented massage to maintain health and prevent disease. Later, the Persian physician Ibn Sina (Avicenna) improved the steam distillation process, making the extraction of essential oils more efficient and expanding their medicinal applications [18].

Modern aromatherapy began in the early twentieth century when the French chemist René-Maurice Gattefossé accidentally discovered the healing properties of lavender essential oil after treating a laboratory burn. In 1937, he introduced the term "aromatherapy" in his book *Aromathérapie*. Later, Jean Valnet promoted the medical use of essential oils in clinical practice, while Marguerite Maury popularized aromatherapy in massage therapy and holistic healthcare. These pioneers helped establish aromatherapy as a complementary therapy used worldwide for symptom management and patient well-being [19].

CLASSIFICATION OF AROMATHERAPY:




Fig 2: Aromatherapy Classification. The basic classification is via the route of administration; oral or topical. It includes various techniques such as massage, psych-aromatherapy, cosmetic, medical, olfactory stimulation, etc [20]

ESSENTIAL OILS USED FOR SLEEP: [21]

Table 2 : Essential oils used for sleep

Essential oil	Image	Botanical Name	Major Active constituents	Sleep benefits

Lavender		*Lavandula angustifolia*	Linalool, Linalyl acetate	Improves sleep quality, reduces anxiety, promotes relaxation
Roman Chamomile		*Chamaemelum nobile*	α-Bisabolol, Chamazulene	Mild sedative, promotes relaxation
Bergamot		*Citrus bergamia*	Limonene, Linalyl acetate	Reduces stress and improves sleep
Cedarwood		*Cedrus atlantica*	Cedrol	Promotes relaxation and sleep onset
Vetiver		*Chrysopogon zizanioides*	Khusimol, Vetiverol	Promotes deep sleep and reduces restlessness
Sandalwood		*Santalum album*	α-Santalol, β-Santalol	Calms the mind and improves sleep
Ylang-Ylang		*Cananga odorata*	Linalool, Germacrene D	Relieves stress and promotes sleep

Clary Sage		*Clary Sage*	Linalyl acetate, Linalool	Reduces cortisol and promotes relaxation

MECHANISM OF ACTION OF AROMATHERAPY IN SLEEP DISORDERS:

Aromatherapy improves sleep quality through multiple physiological and neurological pathways. After inhalation, volatile essential oil molecules enter the nasal cavity and lungs, where they stimulate the olfactory and respiratory systems. These molecules subsequently influence the central nervous system either by direct neuronal signaling or by systemic absorption into the bloodstream. The combined effects include modulation of neurotransmitters, reduction of stress hormones, autonomic nervous system regulation, and promotion of relaxation, ultimately improving sleep quality.

Olfactory Pathway:

The olfactory pathway is considered the primary mechanism responsible for the therapeutic effects of inhaled essential oils. During inhalation, volatile aromatic molecules dissolve in the mucus layer covering the olfactory epithelium located in the upper nasal cavity. These molecules bind to olfactory receptor neurons, initiating electrical impulses that are transmitted through the olfactory nerve to the olfactory bulb.

The olfactory bulb sends these signals directly to the limbic system, particularly the amygdala, hippocampus, hypothalamus, and cerebral cortex. These brain regions regulate emotions, memory, stress response, circadian rhythm, and sleep. Activation of these centers promotes relaxation and reduces anxiety by enhancing inhibitory neurotransmission. Essential oil constituents such as linalool and linalyl acetate have been reported to increase GABAergic activity and influence serotonin and dopamine signalling, producing anxiolytic and sedative effects that facilitate sleep onset and improve sleep maintenance. Thus, the olfactory pathway plays a vital role in translating aromatic stimuli into neurochemical responses that promote psychological calmness and restorative sleep [22].

Respiratory Pathway:

Apart from olfactory stimulation, inhaled essential oil molecules also act through the respiratory pathway. Following inhalation, volatile molecules enter the respiratory tract and interact with the respiratory epithelium and trigeminal nerve endings present within the nasal cavity. The trigeminal nerve detects chemical stimuli and transmits sensory signals to the brainstem, producing immediate physiological responses such as relaxation, reduction in sympathetic nervous system activity, and decreased perception of stress.

The respiratory pathway also facilitates the transport of volatile compounds into the lower respiratory tract. Continuous inhalation enables these molecules to reach the alveolar region of the lungs, thereby allowing systemic absorption. This dual action through neural stimulation and pulmonary absorption contributes significantly to the therapeutic effectiveness of aromatherapy in sleep disorders. Moreover, respiratory stimulation decreases respiratory rate, heart rate, and blood pressure while enhancing parasympathetic nervous system activity. These physiological responses create an optimal internal environment for sleep initiation and maintenance [23]




Fig 3: The respiratory and olfactory pathways are involved in essential oil action in the human body system

Alveolar Absorption into Blood Circulation:

Following inhalation, small lipophilic essential oil molecules penetrate deeply into the alveolar sacs of the lungs. The alveoli provide a large surface area with a thin respiratory membrane, allowing rapid diffusion of volatile compounds into the pulmonary capillary circulation.

After entering the bloodstream, these molecules are transported throughout the body. Due to their lipophilic nature, several essential oil constituents readily cross the blood-brain barrier and reach different regions of the central nervous system. Once inside the brain, they interact with neurotransmitter systems including GABA, serotonin, dopamine, and endorphins, producing anxiolytic, antidepressant, analgesic, and sedative effects.

In addition, systemic circulation allows essential oils to influence endocrine function by reducing circulating cortisol levels while enhancing parasympathetic activity. These changes reduce physiological arousal, improve emotional stability, decrease sleep latency, and increase total sleep duration. Consequently, alveolar absorption serves as an important pharmacokinetic pathway through which inhaled essential oils exert their therapeutic actions in sleep disorders [24].




Fig 4: The alveolar absorption of essential oil into blood circulation

PHARMACOLOGICAL ACTIONS OF ESSENTIAL OILS:

1. Antibacterial Activity

Essential oils possess broad-spectrum antibacterial activity against both Gram-positive and Gram-negative bacteria. Their antimicrobial effect is mainly due to bioactive constituents such as terpenes, phenols, aldehydes, and alcohols, which disrupt the bacterial cell membrane, increase membrane permeability, and cause leakage of intracellular contents. These actions inhibit bacterial growth and may lead to bacterial cell death. Essential oils have demonstrated activity against pathogens including *Staphylococcus aureus*, *Escherichia coli*, *Salmonella* spp., and oral microorganisms. Because of their natural origin and multiple mechanisms of action, essential oils are considered promising alternatives or adjuncts to conventional antibiotics, particularly in the management of drug-resistant bacterial infections [25].

2. Antifungal Activity

Essential oils exhibit potent antifungal activity against a variety of pathogenic fungi, including yeasts and dermatophytes. Tea tree oil (*Melaleuca alternifolia*) is one of the most extensively studied essential oils for its fungicidal properties [26]. The active compounds in essential oils damage fungal cell membranes, alter membrane permeability, and inhibit fungal metabolism, ultimately preventing fungal growth and reproduction. These oils have shown effectiveness against dermatophytes, filamentous fungi, and *Candida* species, making them valuable for the treatment of fungal skin infections and other superficial mycoses.

3. Anti-inflammatory Activity

Essential oils possess significant anti-inflammatory properties by suppressing inflammatory mediators and reducing the production of pro-inflammatory cytokines. They help decrease swelling, redness, pain, and tissue irritation associated with inflammatory conditions. Tea tree oil has been shown to reduce histamine-induced skin reactions and inflammatory responses following topical application. The anti-inflammatory effects of essential oils make them useful in the management of skin disorders, musculoskeletal pain, arthritis, wound healing, and other inflammatory diseases [27].

4. Antiviral Activity

Essential oils demonstrate antiviral activity against several enveloped and non-enveloped viruses. Their active phytochemicals interfere with different stages of the viral life cycle, including viral attachment, penetration, replication, and release from host cells. Certain essential oils such as eucalyptus, tea tree, thyme, oregano, and lemon oil have shown inhibitory effects against respiratory viruses, herpes simplex virus, and influenza viruses in experimental studies [28]. These antiviral properties suggest that essential oils may be used as supportive therapeutic agents for preventing and managing viral infections, although further clinical studies are required to establish their efficacy.

5. Antioxidant Activity

Essential oils exhibit strong antioxidant activity because they contain natural bioactive compounds such as phenolics, flavonoids, terpenoids, and monoterpenes. These compounds neutralize reactive oxygen species (ROS) and free radicals, thereby protecting cellular components from oxidative damage. Antioxidant activity helps reduce oxidative stress, prevents lipid peroxidation, preserves cellular integrity, and lowers the risk of chronic diseases associated with oxidative damage, including cardiovascular diseases, diabetes, neurodegenerative disorders, and cancer. These properties also contribute to tissue protection, healthy ageing, and overall maintenance of physiological functions [29].

APPLICATIONS OF ESSENTIAL OILS IN AROMATHETAPY:

1. Promoting Sleep

Essential oils such as lavender, chamomile, and bergamot are widely used to improve sleep quality. Their calming and sedative properties help reduce sleep latency, promote relaxation, and enhance overall sleep duration, making them beneficial for individuals suffering from insomnia and other sleep disorders.

2. Reduction of Anxiety before Surgery

Preoperative aromatherapy using essential oils can help reduce anxiety, fear, and emotional stress in patients awaiting surgery. Inhalation of calming essential oils promotes relaxation, lowers sympathetic nervous system activity, and improves the patient's psychological well-being before surgical procedures.

3. Management of Postoperative Nausea and Vomiting

Essential oils, particularly peppermint and ginger, have been used to alleviate postoperative nausea and vomiting. Their pleasant aroma and antiemetic properties help reduce nausea severity, improve patient comfort, and support faster postoperative recovery.

4. Anxiolytic (Anti-anxiety) Effect

Several essential oils possess anxiolytic properties that help reduce stress, nervousness, and emotional tension. By influencing the limbic system and regulating neurotransmitter activity, aromatherapy promotes mental relaxation, improves mood, and enhances emotional balance without causing significant adverse effects [30].

FUTURE PERSPECTIVES:

Aromatherapy has emerged as a promising complementary therapy for improving sleep quality and managing sleep disorders. Future research should focus on conducting large-scale, multicenter randomized controlled trials to establish stronger clinical evidence regarding its efficacy and safety. Standardization of essential oil composition, dosage, route of administration, and duration of treatment is essential to ensure consistent therapeutic outcomes.

Further studies are needed to investigate the molecular mechanisms by which essential oils influence sleep regulation, including their effects on neurotransmitters, circadian rhythm, and the autonomic nervous system. Advances in nanotechnology and novel drug delivery systems, such as nanoemulsions, transdermal patches, and controlled-release formulations, may improve the bioavailability and therapeutic effectiveness of essential oils.

Future research should also evaluate the long-term safety of aromatherapy, potential herb-drug interactions, and its effectiveness in special populations such as older adults, children, pregnant women, and patients with chronic diseases. Integrating aromatherapy into personalized medicine and digital health platforms may provide individualized, non-pharmacological approaches for sleep management. With continued scientific validation, aromatherapy has the potential to become an evidence-based adjunctive therapy for the prevention and treatment of sleep disorders [31].

CONCLUSION:

Aromatherapy represents a safe, natural, and non-invasive complementary therapy for improving sleep quality and managing sleep disorders. Essential oils, particularly lavender, chamomile, bergamot, sandalwood, and vetiver, demonstrate beneficial effects by promoting relaxation, reducing anxiety, and regulating neurophysiological pathways involved in sleep. Current scientific evidence supports its role as an adjunct to conventional treatment; however, further well-designed clinical studies are needed to establish standardized formulations, optimal dosage, treatment duration, and long-term safety. With continued scientific validation, aromatherapy has the potential to become an evidence-based component of integrative sleep management strategies.

DISCUSSION:

The evidence reviewed indicates that aromatherapy is a valuable complementary approach for improving sleep quality, particularly in individuals with insomnia, anxiety, and stress-related sleep disturbances. Essential oils such as lavender, chamomile, bergamot, sandalwood, and vetiver exert therapeutic effects through olfactory stimulation, modulation of the limbic system, enhancement of GABAergic neurotransmission, and regulation of autonomic nervous system activity. These mechanisms contribute to reduced sleep latency, improved sleep duration, and enhanced psychological relaxation. However, variations in essential oil composition, dosage, route of administration, and study design have resulted in

inconsistent findings across clinical studies. Most available trials have relatively small sample sizes and limited follow-up periods, highlighting the need for standardized protocols and larger randomized controlled studies. Overall, aromatherapy appears to be a safe and promising adjunctive therapy rather than a replacement for conventional management of sleep disorders.

REFERENCE:

1. Qi H, Liu R, Zhou J, et al. Investigating sleep quality and sleep hygiene awareness among Chinese adults: an association and network analysis study. Sleep and Breathing. 2023; 27(5):2049-2058. doi:10.1007/s11325-023-02798-0.
2. Shaheen AM, Alkaid Albqoor M. Prevalence and correlates of sleep quality among Jordanian university students: a cross-sectional national study. Eval Health Prof. 2022; 45(2):176-182. doi: 10.1177/01632 78720983415.
3. Song X, Peng J, Jiang W, Ye M, Jiang L. Effects of aromatherapy on sleep disorders: A protocol for systematic review and meta-analysis. Medicine (Baltimore). 2021; 100(17):e25727. https://doi.org/10.1097/MD.0000000000025727 PMID: 33907165.
4. Hashimoto K. Impact of FAAH gene, hyperactivation in emotion processing brain regions and Lavender oil preparation Silexan in anxiety. Eur Arch Psychiatry Clin Neurosci. 2019; 269(2):145–6. https://doi.org/10.1007/s00406-019-00987-1 PMID: 30680488.
5. Leger D, Guilleminault C, Dreyfus JP, Delahaye C, Paillard M. Prevalence of insomnia in a survey of 12,778 adults in France. J Sleep Res 2000; 9:35–42. [PubMed: 10733687].
6. Riemann D, Benz F, Dressle RJ, Espie CA, Johann AF, Blanken TF, et al. Insomnia disorder: state of the science and challenges for the future. J Sleep Res 2022; 31: e13604. [PubMed:35460140]
7. Johnson KA, Gordon CJ, Chapman JL, Hoyos CM, Marshall NS, Miller CB, et al. The association of insomnia disorder characterised by objective short sleep duration with hypertension, diabetes and body mass index: a systematic review and meta-analysis. Sleep Med Rev 2021; 59:101456. [PubMed: 33640704]
8. Lee MS, Choi J, Posadzki P, Ernst E. Aromatherapy for health care: An overview of systematic reviews. *Maturitas.* 2012; 71(3):257–260.
9. Zammit GK, Weiner J, Damato N, Sillup GP, McMillan CA. Quality of life in people with insomnia. Sleep. 1999 May 01; 22 Suppl 2:S379-85. [PubMed]
10. Momin RR, Aslam SP, Ketvertis K. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Apr 22, 2025. Short-Term Insomnia. [PubMed]
11. Rana AM, Sankari A. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Jun 11, 2023. Central Sleep Apnea. [PubMed]
12. Slowik JM, Collen JF, Yow AG. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Jun 12, 2023. Narcolepsy. [PubMed]
13. Basit H, Damhoff TC, Huecker MR. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Jun 13, 2023. Sleeplessness and Circadian Disorder. [PubMed]
14. Fariba KA, Tadi P. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Jul 17, 2023. Parasomnias in Adults. [PubMed]
15. Pham CK, Sankari A, Slowik JM. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Feb 12, 2024. Rapid Eye Movement Sleep Behavior Disorder. [PubMed]
16. Nissenbaum MA, Aramini JJ, Hanning CD. Effects of indus-trial wind turbine noise on sleep and health. Noise Health. 2012; 14(60):237–243.

17. Federal Trade Commission. Quinessence Aromatherapy LTD. Available at:https://www.ftc.gov/warning-letters/quinessence-aromatherapy-ltd.Accesse March 30, 2020.
18. Alliance of International Aromatherapists. AIA Journal. Aromatherapy. Available at: https://www.alliance-aromatherapists.org/history-basics. Accessed March 30, 2020.
19. PDQ Integrative, Alternatives, and Complementary Therapies Editorial Board.Aromatherapy with Essential Oils (PDQ)-Health Professional Version. Beethes-da, MD: National Cancer Institute.Availableat:https://www.cancer.gov/about-cancer/treatment/cam/hp/aromatherapy-pdq. Accessed March 30, 2020.
20. Ali, B., Al-Wabel, N.A., Shams, S., Ahamad, A., Khan, S.A., Anwar, F., 2015. Essential oils used in aromatherapy: a systemic review. Asian Pac. J. Trop. Biomed. 5, 601–611. https://doi.org/10.1016/J.APJTB.2015.05.007.
21. Lillehei AS, Halcón LL. A systematic review of the effect of inhaled essential oils on sleep. J Altern Complement Med. 2014
22. Vora LK, Gholap AD, Hatvate NT, Naren P, Khan S, Chavda VP, et al. Essential oils for clinical aromatherapy: A comprehensive review. J Ethnopharmacol. 2024; 330:118180. https://doi.org/10.1016/j.jep.2024.118180
23. Fung TKH, Han X, Venkataraman S, et al. Essential oils and their therapeutic mechanisms in aromatherapy: A review. Molecules. 2021; 26(16):4973. https://doi.org/10.3390/molecules26164973
24. Lillehei AS, Halcón LL. A systematic review of the effect of inhaled essential oils on sleep. J Altern Complement Med. 2014; 20(6):441-451. https://doi.org/10.1089/acm.2013.0311
25. Fujita KI, Chavasiri W, Kubo I. Anti-salmonella activity of volatile compounds of Vietnam coriander. Phytother Res 2015; http://dx.doi.org/10.1002/ptr.5351
26. Hammer KA, Carson CF, Riley TV. Antifungal activity of the components of Melaleuca alternifolia (tea tree) oil. J Appl Microbiol 2003; 95: 853-60
27. Murbach Teles Andrade BF, Conti BJ, Santiago KB, Fernandes Junior A, Sforcin JM. Cymbopogon martinii essential oil and geraniol at noncytotoxic concentrations exerted immunomodulatory/anti-inflammatory effects in human monocytes. J Pharm Pharmacol 2014; 66(10): 1491-6
28. Deans SG, Ritchie G. Antibacterial properties of plant essential oils. Int J Food Microbiol 1987; 5: 165-80.
29. Baratta MT, Dorman HJD, Dean SG, Brondi DM, Ruberto G. Chemical composition, antimicrobial and antioxidant activity of laurel, sage, reosemary, oregano and coriander essential oils. J Essent Oil Res 1998; 10: 618-27.
30. Lalitkumar K. Vora , Amol D. Gholap, Navnath T. Hatvate, Padmashri Naren , Sabiya Khand, Vivek P. Chavda, Pankti C. Balar ,Jimil Gandhi, Dharmendra Kumar Khatri ,Essential oils for clinical aromatherapy: A comprehensive review.2024
31. Song X, Wang X, Chen Y, et al**.** Effects of aromatherapy on sleep disorders: A systematic review and meta-analysis. *Medicine (Baltimore).* 2021; 100 (18):e25835. doi:10.1097/MD.0000000000025835